
Metal Garden Shed

OWNER'S MANUAL

Instructions for Assembly



SM-F35K

Requires two people and takes 1-2 hours for Installation.

Quick & Easy Assembly

Ridge Reinforced Walls


Available in Various Sizes


SITE PREPARATION

Level the ground surface.




Recommendation: Construct a wooden or concrete base as a foundation.






The external dimensions of the product :



BEFORE STARTING ASSEMBLY

Remove all of the pieces from the package and spread them out on the ground.
Before installation, please check the type and quantity of parts first.
It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.
Be sure to follow all steps thoroughly.
Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION


Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.




Requires two people and takes 2-3 hours for Installation.
Recommended to wear gloves to avoid scratches.
Please read the manual carefully before installation.

DO NOT RETURN YOUR UNIT
TO THE STORE
Contact us first
saleservice@patiowell.com


ROOF PARTS



P1 X2



P2 X1



P3 X1




M4 X2



S3 X1



S4 X1



S2 X1




GC X4




M3 X4


WALL PARTS




W1A X5



W2A X4




W3A X1




ULA X1




URA X1




BR X1



B1 X1




BL X1



B2 X1




V1 X80




V2 X150



L3 X1



L1 X1




L2 X1




UP1 X1

DOOR PARTS




DL1 X1




DR1 X1




20 X2



DH X2



DG X1




DX1 X2




DF X1


SCREW




F1(X160) M4*10



F2(X8) M4*10




F3(X16) M5*12




For GC


F5(X4) M4*16


M3
GC
M3
GC
M4
P3
P1
P1
P2
M4
GC
M3
M3
GC
S4
S3
S2
L3
L2
L1
UP1
W2A
W1A
W1A
W2A
W1A
W2A
W1A
20
URA
DH
DX1
DF
DR1
DL1
DG
ULA
W2A
W1A
W3A
DX1
DH
20
B2
BR
BL
B1


CONTENTS




Bottom frame 09-10 (page)



Wall 11-18 (page)





Roof 19-21 (page)




Door 22-24 (page)

STEP 1







STEP 2



STEP 3




STEP 4




Tips: Align the gasket with the hole, and then use the electric drill to drill the V2 into the hole.

STEP 5


Please align the screws with the screw holes for installation.




STEP 6





STEP 7






STEP 8







STEP 9




Tips: Pay attention to distinguishing the direction when installing.




STEP 10




Tips: Pay attention to distinguishing the direction when installing.




STEP 11




Tips: Pay attention to distinguishing the direction when installing.




STEP 12





STEP 13







STEP 14







STEP 15






STEP 16







Tips: Internal setup.




STEP 17







STEP 18




Tips: Internal setup.




STEP 19







STEP 20



Tips: Internal setup.





STEP 21




Tips: Internal setup.

STEP 22







STEP 23




STEP 24




STEP 25




STEP 26




STEP 27





STEP 28




STEP 29









STEP 30






STEP 31







X2




F3 X8


STEP 32






X2





F1 X2 F3 X8

STEP 33




Put it on the screw tip to prevent injury.



V1 X80

FINISH



CARE & SAFETY

- Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. Must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.